

NEW MULTISPIRAL - NO SKIVE





Dunlop Hiflex is one of the market's most established suppliers of hydraulic fluid conveyance and industrial fluid conveyance products and systems.

The manufacturing of hoses and couplings, for both high and low pressure, gives Dunlop Hiflex extensive knowledge of the products and enables us to put forward suggestions for new solutions and improvements for the industry.



NEW MULTISPIRAL FITTINGS - NO SKIVE

The new fittings range is a no-skive solution for high pressure spiral hoses. Replace the former fittings range POWERTRAK.

MAIN FEATURES

- // No-skive
- // Range: from 3/8" to 2"
- // Working pressures: up to 6000 psi (420 bar)
- // Main applications: construction equipment, agricultural machines, mining
- // Suitable for: aftermarket and maintenance activities, on-site repairs especially

ADVANTAGES


- // H18, No Skive, only one Ferrule suitable for both 4 spiral and 6 spiral hose – warehouse optimization
- // No need of skiving equipment, no odor and dust (consequence of the hose cover removal)

// HOW TO SELECT THE RIGHT CODE

MULTISPIRAL - NO SKIVE

It's easy to recognize the new product codes from the old ones: the **third alphabetical number** just **switch from 3 (old one) to 8 (new one)**.

Type	Item Code	Product Code
POWERTRAK	1226224	H1343310-161600
NEW MULTISPIRAL	1255817	H1843310-161600



// FERRULE SELECTION CHART

// NO SKIVE FERRULE FOR MULTISPIRAL FITTINGS

Hose	Table n°	-06 DN 10 3/8"	-08 DN 12 1/2"	-10 DN 16 5/8"	-12 DN 19 3/4"	-16 DN 25 1"	-20 DN 32 1 1/4"	-24 DN 38 1 1/2"	-32 DN 51 2"
POWERFLEXBIO 4000	275							H1300NS4	H1300NS4
POWERFLEXBIO 5000 - 4S	276				H1300NS4	H1300NS4	H1300NS4		
POWERFLEXBIO 5000 - 6S	280							H1300NS6	H1300NS6
POWERFLEXBIO 5000 PLUS	277				H1300NS4	H1300NS4			
POWERFLEXBIO 6000 - 4S	278				H1300NS4	H1300NS4			
POWERFLEXBIO 6000 - 6S	282						H1300NS6		
POWERFLEXBIO EXTRA 4000	325							H1300NS4	H1300NS4
	726							H1800NSS	H1800NSS
POWERFLEXBIO EXTRA 5000	326				H1300NS4	H1300NS4	H1300NS4	H1300NS6	H1300NS6
	727			H1800NSS NEW	H1800NSS	H1800NSS	H1800NSS	H1800NSS	H1800NSS
POWERFLEXBIO EXTRA 5500	327				H1300NS4	H1300NS4			
	728				H1800NSS	H1800NSS			
POWERFLEXBIO EXTRA 6000	328				H1300NS4	H1300NS4	H1300NS6		
	729	H1800NSS NEW	H1800NSS NEW	H1800NSS NEW	H1800NSS	H1800NSS	H1800NSS	H1800NSS NEW	



// MULTISPIRAL FITTINGS - NO SKIVE


// FERRULES.....	7	// NPTF INSERTS.....	15
// BSP INSERTS.....	8	// ORFS INSERTS.....	16
// DIN METRIC INSERTS.....	10	// SAE FLANGES.....	18
// JIC 37° INSERTS.....	12	// SUPERCAT FLANGES.....	21

REV.0.0

// FERRULES

// H1800NSS **NEW**

Multispiral No-Skive Ferrule




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	Ferrule OD (mm)	L (mm)
1255743	H1800NSS-060000	6	10,0	3/8"	29,0	37,0
1255796	H1800NSS-080000	8	13,0	1/2"	31,0	40,0
1255833	H1800NSS-100000	10	16,0	5/8"	38,0	44,3
1255868	H1800NSS-120000	12	19,0	3/4"	43,0	52,5
1253826	H1800NSS-160000	16	25,0	1"	50,0	63,0
1255880	H1800NSS-200000	20	31,0	1 1/4"	62,0	73,0
1258472	H1800NSS-240000	24	38,0	1 1/2"	70,0	78,5
1257089	H1800NSS-320000	32	51,0	2"	85,0	94,0

// BSP INSERTS

// H1810510 **NEW**


**BSP Male 60° Flare
AGR**



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1258250	H1810510-121200	12	19,0	3/4"	12	3/4-14	38,1	32,0
1258251	H1810510-161600	16	25,0	1"	16	1-11	46,1	41,0
1258548	H1810510-202000	20	32,0	1 1/4"	20	1 1/4-11	50,0	50,0
1258336	H1810510-242400	24	38,0	1 1/2"	24	1 1/2-11	55,0	55,0
1258410	H1810510-323200	32	51,0	2"	32	2-11	66,7	70,0

// H1820812 **NEW**

**BSP Female 60° Cone with O-Ring
DKOR**



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH1 (mm)
1259162	H1820811-080800	Crimped	8	13,0	1/2"	8	1/2-14	19,6	27,0
1259163	H1820811-101000	Crimped	10	16,0	5/8"	10	5/8-14	18,8	27,0
1257104	H1820812-121200	Thrust wire nut	12	19,0	3/4"	12	3/4-14	25,8	32,0
1258306	H1820812-121600	Thrust wire nut	12	19,0	3/4"	16	1-11	28,3	38,0
1257054	H1820812-161600	Thrust wire nut	16	25,0	1"	16	1-11	31,6	38,0
1258338	H1820812-162000	Thrust wire nut	16	25,0	1"	20	1 1/4-11	34,1	50,0
1258497	H1820812-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 1/4-11	33,9	50,0
1258300	H1820812-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 1/2-11	37,8	55,0
1258287	H1820812-323200	Thrust wire nut	32	51,0	2"	32	2-11	43,2	70,0


REV.0.0

// H1820842 **NEW**

45° BSPP Female 60° Cone with O-Ring

DKOR 45

Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1259198	H1820841-080800	Crimped	8	13,0	1/2"	8	1/2-14	53,0	21,0	27,0
1259170	H1820841-101000	Crimped	10	16,0	5/8"	10	5/8-14	61,0	21,5	27,0
1258249	H1820842-121200	Thrust wire nut	12	19,0	3/4"	12	3/4-14	76,0	30,0	32,0
1258275	H1820842-161600	Thrust wire nut	16	25,0	1"	16	1-11	92,0	40,0	38,0
1258506	H1820842-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 1/4-11	90,0	40,0	50,0
1258407	H1820842-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 1/2-11	116,0	46,0	55,0
1258595	H1820842-323200	Thrust wire nut	32	51,0	2"	32	2-11	153,0	60,0	70,0

// H1820892 **NEW**

90° BSPP Female 60° Cone with O-Ring

DKOR 90

Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1259199	H1820891-080800	Crimped	8	13,0	1/2"	8	1/2-14	37,0	41,0	27,0
1259172	H1820891-101000	Crimped	10	16,0	5/8"	10	5/8-14	48,0	47,0	27,0
1258248	H1820892-121200	Thrust wire nut	12	19,0	3/4"	12	3/4-14	60,0	61,0	32,0
1258408	H1820892-121600	Thrust wire nut	12	19,0	3/4"	16	1-11	69,0	68,0	38,0
1258267	H1820892-161600	Thrust wire nut	16	25,0	1"	16	1-11	74,0	71,0	38,0
1258505	H1820892-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 1/4-11	83,0	83,0	50,0
1258376	H1820892-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 1/2-11	100,0	96,0	55,0
1258426	H1820892-323200	Thrust wire nut	32	51,0	2"	32	2-11	140,0	130,0	70,0

Image: insert with Slip on Nut.

// DIN METRIC INSERTS

// H1811210 **NEW**

Metric Male 24° Seat
DIN 3853 - Heavy Series
CES




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	CH (mm)
1257032	H1811210-123600	12	19,0	3/4"	M36X2	25	30,0	36,0
1257041	H1811210-164200	16	25,0	1"	M42X2	30	41,1	46,0
1257093	H1811210-205200	20	32,0	1 1/4"	M52X2	38	49,9	55,0

FITTINGS

// H1821613 **NEW**

Metric Female 24° Cone with O-Ring
ISO 8434-1 - Heavy Series
DKOS



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	CH1 (mm)
1259271	H1821612-082400	Thrust wire nut	8	13,0	1/2"	M24X1.5	16	27,3	30,0
1259301	H1821613-103000	Slip on nut	10	16,0	5/8"	M30X2	20	37,2	36,0
1257103	H1821612-123000	Thrust wire nut	12	19,0	3/4"	M30X2	20	37,4	36,0
1257094	H1821613-123600	Slip on nut	12	19,0	3/4"	M36X2	25	41,7	46,0
1257051	H1821612-163600	Thrust wire nut	16	25,0	1"	M36X2	25	46,6	46,0
1257055	H1821613-164200	Slip on nut	16	25,0	1"	M42X2	30	45,8	50,0
1258543	H1821612-204200	Thrust wire nut	20	32,0	1 1/4"	M42X2	30	50,0	50,0
1255917	H1821613-205200	Slip on nut	20	32,0	1 1/4"	M52X2	38	50,0	60,0
1258302	H1821612-245200	Thrust wire nut	24	38,0	1 1/2"	M52X2	38	57,0	60,0

Image: insert with Slip on Nut.

REV.0.0


// H1821643 **NEW**

45° Metric Female 24° Cone with O-Ring

ISO 8434-1 - Heavy Series

DKOS 45

Solid one piece



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	D Drop (mm)	CH1 (mm)
1259275	H1821642-082400	Thrust wire nut	8	13,0	1/2"	M24X1.5	16	66,7	33,0	30,0
1259304	H1821643-103000	Slip on nut	10	16,0	5/8"	M30X2	20	66,0	30,0	36,0
1258305	H1821642-123000	Thrust wire nut	12	19,0	3/4"	M30X2	20	74,0	33,0	36,0
1257064	H1821643-123600	Slip on nut	12	19,0	3/4"	M36X2	25	71,0	33,0	46,0
1258315	H1821642-163600	Thrust wire nut	16	25,0	1"	M36X2	25	94,0	37,5	46,0
1257048	H1821643-164200	Slip on nut	16	25,0	1"	M42X2	30	110,0	35,5	50,0
1255919	H1821643-205200	Slip on nut	20	32,0	1 1/4"	M52X2	38	111,0	45,0	60,0


// H1821693 **NEW**

90° Metric Female 24° Cone with O-Ring

ISO 8434-1 - Heavy Series

DKOS 90

Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1	OD1	C (mm)	D Drop (mm)	CH1 (mm)
1259273	H1821692-082400	Thrust wire nut	8	13,0	1/2"	M24X1.5	16	48,5	59,0	30,0
1259305	H1821693-103000	Slip on nut	10	16,0	5/8"	M30X2	20	48,0	55,0	36,0
1258253	H1821692-123000	Thrust wire nut	12	19,0	3/4"	M30X2	20	66,1	67,5	36,0
1257067	H1821693-123600	Slip on nut	12	19,0	3/4"	M36X2	25	51,0	59,5	46,0
1258331	H182169Z-123600	Slip on nut	12	19,0	3/4"	M36X2	25	51,0	59,5	41,0
1257060	H1821692-163600	Thrust wire nut	16	25,0	1"	M36X2	25	76,0	82,0	46,0
1257045	H1821693-164200	Slip on nut	16	25,0	1"	M42X2	30	85,0	70,0	50,0
1258503	H1821693-205200	Slip on nut	20	32,0	1 1/4"	M52X2	38	95,0	92,0	60,0
1258334	H1821692-245200	Thrust wire nut	24	38,0	1 1/2"	M52X2	38	105,0	95,0	60,0

Image: insert with Slip on Nut.

// JIC 37° INSERTS

// H1812510 **NEW**


JIC Male 37° Cone
AGJ



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1255939	H1812510-060600	6	10,0	3/8"	6	9/16-18	27,0	17,0
1255965	H1812510-080800	8	13,0	1/2"	8	3/4-16	30,6	19,0
1255988	H1812510-101000	10	16,0	5/8"	10	7/8-14	35,3	24,0
1256038	H1812510-121200	12	19,0	3/4"	12	1 1/16-12	39,1	27,0
1255826	H1812510-161600	16	25,0	1"	16	1 5/16-12	46,1	36,0
1257092	H1812510-202000	20	32,0	1 1/4"	20	1 5/8-12	50,4	46,0
1258599	H1812510-242400	24	38,0	1 1/2"	24	1 7/8-12	56,5	50,0

// H1822512 **NEW**

JIC Female 37° Seat
DKJ




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH1 (mm)
1258632	H1822511-060600	Crimped	6	10,0	3/8"	6	9/16-18	16,0	19,0
1258633	H1822511-080800	Crimped	8	13,0	1/2"	8	3/4-16	18,6	25,0
1258634	H1822511-101000	Crimped	10	16,0	5/8"	10	7/8-14	20,3	27,0
1258252	H1822512-121200	Thrust wire nut	12	19,0	3/4"	12	1 1/16-12	22,8	32,0
1258307	H1822512-121600	Thrust wire nut	12	19,0	3/4"	16	1 5/16-12	24,6	38,0
1258265	H1822512-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	18,5	38,0
1258328	H1822512-162000	Thrust wire nut	16	25,0	1"	20	1 5/8-12	29,2	50,0
1258498	H1822512-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	30,0	50,0
1258507	H1822512-202400	Thrust wire nut	20	32,0	1 1/4"	24	1 7/8-12	34,0	55,0
1258332	H1822512-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	23,5	55,0

Image: insert with Thrust Wire Nut.

REV.0.0

// H1826511 NEW

**JIC Female 37° Seat with Stem Hexagon
DKJ**




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)	CH1 (mm)
1255950	H1826511-060600	Crimped	6	10,0	3/8"	6	9/16-18	22,0	17,0	19,0
1255967	H1826511-080800	Crimped	8	13,0	1/2"	8	3/4-16	25,6	19,0	25,0
1255990	H1826511-101000	Crimped	10	16,0	5/8"	10	7/8-14	28,3	24,0	27,0
1256041	H1826511-121200	Crimped	12	19,0	3/4"	12	1 1/16-12	30,1	27,0	32,0
1255808	H1826512-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	38,6	36,0	38,0
1255810	H1826512-162000	Thrust wire nut	16	25,0	1"	20	1 5/8-12	41,2	41,0	50,0
1255909	H1826512-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	43,0	46,0	50,0
1257202	H1826512-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	48,4	50,0	55,0
1257200	H1826512-323200	Thrust wire nut	32	51,0	2"	32	2 1/2-12	59,2	65,0	70,0

Image: insert with Crimped Nut.

// H1822541 NEW

**45° JIC Female 37° Seat
Medium Drop
DKJ 45M
Solid one piece**



Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255928	H1822541-040400	Crimped	4	6,0	1/4"	4	7/16-20	38,0	15,5	16,0
1255956	H1822541-060600	Crimped	6	10,0	3/8"	6	9/16-18	50,0	17,5	19,0
1255969	H1822541-080800	Crimped	8	13,0	1/2"	8	3/4-16	52,0	20,0	25,0
1256026	H1822541-101000	Crimped	10	16,0	5/8"	10	7/8-14	57,0	29,0	27,0
1256047	H1822542-121200	Thrust wire nut	12	19,0	3/4"	12	1 1/16-12	70,0	27,5	32,0
1258345	H1822542-121600	Thrust wire nut	12	19,0	3/4"	16	1 5/16-12	69,0	33,5	38,0
1255873	H1822542-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	85,0	31,0	38,0
1257075	H1822542-202000	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	98,0	37,0	50,0
1258438	H1822542-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	118,0	43,5	55,0

Image: insert with Thrust Wire Nut.


// H1822591 **NEW**

90° JIC Female 37° Seat

Medium Drop

DKJ 90M

Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255958	H1822591-060600	Crimped	6	10,0	3/8"	6	9/16-18	32,0	35,0	19,0
1255971	H1822591-080800	Crimped	8	13,0	1/2"	8	3/4-16	36,0	40,0	25,0
1256024	H1822591-101000	Crimped	10	16,0	5/8"	10	7/8-14	46,0	52,0	27,0
1258264	H1822592-121200	Thrust wire nut	12	19,0	3/4"	12	1 1/16-12	60,0	57,0	32,0
1258342	H1822592-121600	Thrust wire nut	12	19,0	3/4"	16	1 5/16-12	58,0	63,5	38,0
1255867	H1822592-161600	Thrust wire nut	16	25,0	1"	16	1 5/16-12	76,0	67,0	38,0
1257204	H1822592-20200M	Thrust wire nut	20	32,0	1 1/4"	20	1 5/8-12	84,0	78,0	50,0
1257207	H1822592-242400	Thrust wire nut	24	38,0	1 1/2"	24	1 7/8-12	104,0	92,0	55,0

Image: insert with Thrust Wire Nut.

REV.0.0

// NPTF INSERTS


// H1812810 **NEW**NPTF Male 60° Seat
AGN

Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1257080	H1812810-121200	12	19,0	3/4"	12	3/4-14	36,1	27,0
1255828	H1812810-161600	16	25,0	1"	16	1-11 1/2	47,1	36,0
1257086	H1812810-202000	20	32,0	1 1/4"	20	1 1/4-11 1/2	50,9	46,0
1257183	H1812810-242400	24	38,0	1 1/2"	24	1 1/2-11 1/2	54,5	50,0
1257185	H1812810-323200	32	51,0	2"	32	2-11 1/2	63,4	65,0

// ORFS INSERTS

// H1812410 **NEW**


ORFS Male



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)
1255954	H1812410-060600	6	10,0	3/8"	6	11/16-16	25,0	19,0
1255975	H1812410-080800	8	13,0	1/2"	8	13/16-16	27,1	22,0
1256029	H1812410-101000	10	16,0	5/8"	10	1-14	31,3	27,0
1256049	H1812410-121200	12	19,0	3/4"	12	1 3/16-12	36,1	32,0
1257070	H1812410-161600	16	25,0	1"	16	1 7/16-12	40,6	38,0
1257090	H1812410-202000	20	32,0	1 1/4"	20	1 11/16-12	43,4	46,0

// H1822411 **NEW**

ORFS Female with Stem Hexagon




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	CH (mm)	CH1 (mm)
1255952	H1822411-060600	Crimped	6	10,0	3/8"	6	11/16-16	31,0	17,0	22,0
1255982	H1822411-080800	Crimped	8	13,0	1/2"	8	13/16-16	36,1	22,0	24,0
1256031	H1822411-101000	Crimped	10	16,0	5/8"	10	1-14	40,3	24,0	30,0
1256053	H1822411-121200	Crimped	12	19,0	3/4"	12	1 3/16-12	44,1	30,0	36,0
1256932	H1822411-121600	Crimped	12	19,0	3/4"	16	1 7/16-12	50,1	36,0	41,0
1255812	H1822411-161600	Crimped	16	25,0	1"	16	1 7/16-12	53,1	36,0	41,0
1255814	H1822411-162000	Crimped	16	25,0	1"	20	1 11/16-12	54,1	41,0	50,0
1255911	H1822411-202000	Crimped	20	32,0	1 1/4"	20	1 11/16-12	56,0	46,0	50,0
1256933	H1822411-242400	Crimped	24	38,0	1 1/2"	24	2-12	61,5	50,0	60,0

REV.0.0

// H1822441 **NEW**

45° ORFS Female
Medium Drop
DK ORFS 45M
Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255963	H1822443-060600	Slip on nut	6	10,0	3/8"	6	11/16-16	48,0	17,0	22,0
1255986	H1822441-080800	Crimped	8	13,0	1/2"	8	13/16-16	54,0	22,0	24,0
1256036	H1822441-101000	Crimped	10	16,0	5/8"	10	1-14	58,0	17,0	30,0
1256059	H1822443-121200	Slip on nut	12	19,0	3/4"	12	1 3/16-12	67,0	21,0	36,0
1257078	H1822441-121200	Crimped	12	19,0	3/4"	12	1 3/16-12	82,0	26,0	36,0
1258416	H1822441-121600	Crimped	12	19,0	3/4"	16	1 7/16-12	81,0	28,0	41,0
1255837	H1822441-161600	Crimped	16	25,0	1"	16	1 7/16-12	95,0	28,0	41,0
1258440	H1822441-162000	Crimped	16	25,0	1"	20	1 11/16-12	88,0	28,0	50,0
1255915	H1822441-202000	Crimped	20	32,0	1 1/4"	20	1 11/16-12	108,0	36,5	50,0

Image: insert with Crimped Nut.

// H1822491 **NEW**

90° ORFS Female
Medium Drop
DK ORFS 90M
Solid one piece




Item Code	Product Code	Nut Type	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	C (mm)	D Drop (mm)	CH1 (mm)
1255960	H1822493-060600	Slip on nut	6	10,0	3/8"	6	11/16-16	43,0	38,0	22,0
1255984	H1822491-080800	Crimped	8	13,0	1/2"	8	13/16-16	35,0	42,0	24,0
1256034	H1822491-101000	Slip on nut	10	16,0	5/8"	10	1-14	56,0	44,0	30,0
1256055	H1822493-121200	Slip on nut	12	19,0	3/4"	12	1 3/16-12	63,0	58,0	36,0
1257077	H1822491-121200	Crimped	12	19,0	3/4"	12	1 3/16-12	68,0	58,0	36,0
1258325	H1822491-121600	Crimped	12	19,0	3/4"	16	1 7/16-12	70,0	58,0	36,0
1255835	H1822491-161600	Crimped	16	25,0	1"	16	1 7/16-12	80,0	66,0	41,0
1255913	H1822491-202000	Crimped	20	32,0	1 1/4"	20	1 11/16-12	101,0	81,0	50,0

Image: insert with Crimped Nut.

// SAE FLANGES

// H1843310 **NEW**

Flange SAE 3000 psi J518 Code 61
SFL




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	WP (psi)
1256975	H1843310-121200	12	19,0	3/4"	12	3/4	38,1	39,5	5000
1255817	H1843310-161600	16	25,0	1"	16	1	44,5	54,1	5000
1255819	H1843310-162000	16	25,0	1"	20	1 1/4	50,8	56,6	5000
1255886	H1843310-202000	20	32,0	1 1/4"	20	1 1/4	50,8	57,5	3000
1258560	H1843310-202400	20	32,0	1 1/4"	24	1 1/2	60,3	60,4	5000
1258432	H1843310-242000	24	38,0	1 1/2"	20	1 1/4	50,8	54,5	5000
1256999	H1843310-242400	24	38,0	1 1/2"	24	1 1/2	60,3	62,5	5000
1258422	H1843310-243200	24	38,0	1 1/2"	32	2	71,4	62,5	5000
1258299	H1843310-323200	32	50,0	2"	32	2	71,4	79,2	3000

FITTINGS

// H1843340 **NEW**

45° Flange SAE 3000 psi J518 Code 61
SFL 45
Solid one piece



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1258340	H1843340-162000	16	25,0	1"	20	1 1/4	50,8	99,0	32,5	3000
1255892	H1843340-202000	20	32,0	1 1/4"	20	1 1/4	50,8	103,0	38,5	5000
1257023	H1843340-202400	20	32,0	1 1/4"	24	1 1/2	60,3	99,0	40,0	3000
1257002	H1843340-242400	24	38,0	1 1/2"	24	1 1/2	60,3	111,0	43,0	3000
1258414	H1843340-323200	32	50,0	2"	32	2	71,4	154,0	54,0	5000


REV.0.0

// H1843390 NEW

90° Flange SAE 3000 psi J518 Code 61

SFL 90

Solid one piece




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1255849	H1843390-161600	16	25,0	1"	16	1	44,5	79,0	64,0	5000
1257007	H1843390-162000	16	25,0	1"	20	1 1/4	50,8	75,0	69,0	3000
1255890	H1843390-202000	20	32,0	1 1/4"	20	1 1/4	50,8	91,0	81,0	5000
1258622	H1843390-202400	20	32,0	1 1/4"	24	1 1/2	60,3	87,0	85,0	5000
1257000	H1843390-242400	24	38,0	1 1/2"	24	1 1/2	60,3	103,0	93,0	3000
1258385	H1843390-323200	32	50,0	2"	32	2	71,4	139,0	130,0	5000

// H1843610 NEW

Flange SAE 6000 psi J518 Code 62

SFS




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	WP (psi)
1259205	H1843610-080800	8	13,0	1/2"	8	1/2	31,8	43,6	6000
1250893	H1843610-121200	12	19,0	3/4"	12	3/4	41,3	53,1	6000
1256988	H1843610-121600	12	19,0	3/4"	16	1	47,6	56,5	6000
1255824	H1843610-161200	16	25,0	1"	12	3/4	41,3	59,1	6000
1250885	H1843610-161600	16	25,0	1"	16	1	47,6	59,1	6000
1255821	H1843610-162000	16	25,0	1"	20	1 1/4	54,0	66,1	6000
1257998	H1843610-162400	16	25,0	1"	24	1 1/2	63,5	71,1	6000
1255884	H1843610-201600	20	32,0	1 1/4"	16	1	47,6	60,0	6000
1250350	H1843610-202000	20	32,0	1 1/4"	20	1 1/4	54,0	59,0	6000
1257017	H1843610-202400	20	32,0	1 1/4"	24	1 1/2	63,5	74,0	6000
1257009	H1843610-242000	24	38,0	1 1/2"	20	1 1/4	54,0	70,0	6000
1250857	H1843610-242400	24	38,0	1 1/2"	24	1 1/2	63,5	63,0	6000
1257028	H1843610-243200	24	38,0	1 1/2"	32	2	79,4	88,0	6000
1250340	H1843610-323200	32	50,0	2"	32	2	79,4	97,2	6000

// H1843640 NEW

45° Flange SAE 6000 psi J518 Code 62

SFS 45

Solid one piece




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1259211	H1843640-080800	8	13,0	1/2"	8	1/2	31,8	56,0	23,0	6000
1256966	H1843640-121200	12	19,0	3/4"	12	3/4	41,3	75,0	30,0	6000
1256964	H1843640-121600	12	19,0	3/4"	16	1	47,6	81,0	33,0	6000
1257026	H1843640-161200	16	25,0	1"	12	3/4	41,3	77,0	29,5	6000
1255845	H1843640-161600	16	25,0	1"	16	1	47,6	98,0	38,5	6000
1255847	H1843640-162000	16	25,0	1"	20	1 1/4	54,0	96,0	44,0	6000
1257027	H1843640-201600	20	32,0	1 1/4"	16	1	47,6	97,0	34,0	6000
1255896	H1843640-202000	20	32,0	1 1/4"	20	1 1/4	54,0	102,0	41,0	6000
1257021	H1843640-202400	20	32,0	1 1/4"	24	1 1/2	63,5	117,0	48,0	6000
1256962	H1843640-242400	24	38,0	1 1/2"	24	1 1/2	63,5	143,0	48,0	6000
1258583	H1843640-323200	32	50,0	2"	32	2	79,4	177,0	61,0	6000

// H1843690 NEW

90° Flange SAE 6000 psi J518 Code 62

SFS 90

Solid one piece




Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	C (mm)	D Drop (mm)	WP (psi)
1256934	H1843690-121200	12	19,0	3/4"	12	3/4	41,3	65,0	64,0	6000
1256935	H1843690-121600	12	19,0	3/4"	16	1	47,6	65,0	66,0	6000
1258335	H1843690-161200	16	25,0	1"	12	3/4	41,3	75,0	61,0	6000
1255841	H1843690-161600	16	25,0	1"	16	1	47,6	75,0	74,0	6000
1256939	H1843690-162000	16	25,0	1"	20	1 1/4	54,0	79,0	85,0	6000
1255907	H1843690-201600	20	32,0	1 1/4"	16	1	47,6	86,0	72,0	6000
1257011	H1843690-202000	20	32,0	1 1/4"	20	1 1/4	54,0	96,0	91,0	6000
1257016	H1843690-202400	20	32,0	1 1/4"	24	1 1/2	63,5	99,0	103,5	6000
1256936	H1843690-242400	24	38,0	1 1/2"	24	1 1/2	63,5	114,0	109,0	6000
1257029	H1843690-323200	32	50,0	2"	32	2	79,4	168,0	134,0	6000

// SUPERCAT FLANGES

// H1843910 **NEW**


Flange SUPERCAT



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	T (mm)	C (mm)
1256983	H1843910-121200	12	19,0	3/4"	12	3/4	41,3	14,3	85,5
1256984	H1843910-121600	12	19,0	3/4"	16	1	47,6	14,3	87,0
1255830	H1843910-161600	16	25,0	1"	16	1	47,6	14,3	95,1
1255832	H1843910-162000	16	25,0	1"	20	1 1/4	54,0	14,3	95,1
1255888	H1843910-202000	20	32,0	1 1/4"	20	1 1/4	54,0	14,3	91,0
1257018	H1843910-202400	20	32,0	1 1/4"	24	1 1/2	63,5	14,3	87,0

// H1843940 **NEW**


45° Flange SUPERCAT Solid one piece



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	T (mm)	C (mm)	D Drop (mm)
1256996	H1843940-121200	12	19,0	3/4"	12	3/4	41,3	14,3	107,0	33,7
1258113	H1843940-121600	12	19,0	3/4"	16	1	47,6	14,3	112,0	34,0
1255857	H1843940-161600	16	25,0	1"	16	1	47,6	14,3	129,0	42,5
1255859	H1843940-162000	16	25,0	1"	20	1 1/4	54,0	14,3	128,0	40,0
1257024	H1843940-202000	20	32,0	1 1/4"	20	1 1/4	54,0	14,3	149,0	45,0

// H1843990 **NEW**

90° Flange SUPERCAT Solid one piece



Item Code	Product Code	ID (Dash)	ID (mm)	ID (in)	F1 Dash	F1	FD (mm)	T (mm)	C (mm)	D Drop (mm)
1256994	H1843990-121200	12	19,0	3/4"	12	3/4	41,3	14,3	67,0	67,0
1256995	H1843990-121600	12	19,0	3/4"	16	1	47,6	14,3	69,0	70,0
1255853	H1843990-161600	16	25,0	1"	16	1	47,6	14,3	85,0	79,0
1255855	H1843990-162000	16	25,0	1"	20	1 1/4	54,0	14,3	80,0	82,5
1255902	H1843990-202000	20	32,0	1 1/4"	20	1 1/4	54,0	14,3	96,0	93,0
1257019	H1843990-202400	20	32,0	1 1/4"	24	1 1/2	63,5	14,3	97,0	101,0

// DUNLOP HIFLEX SCANDINAVIA

// SWEDEN

HEADQUARTER
DUNLOP HIFLEX AB
Seldonsvägen 2, Halmstad
+46 (0)10-414 44 00
info@dunlophiflex.se

BORLÄNGE
+46 (0)10-414 46 00
borlange@dunlophiflex.se

GÖTEBORG
+46 (0)10-414 45 40
goteborg@dunlophiflex.se

HALMSTAD
+46 (0)10-414 44 04
halmstad@dunlophiflex.se

HELSINGBORG
+46 (0)10-414 45 60
helsingborg@dunlophiflex.se

LJUNGBY
+46 (0)10-414 45 20
ljungby@dunlophiflex.se

MALMÖ
+46 (0)10-414 45 00
malmo@dunlophiflex.se

NORRKÖPING
+46 (0)10-414 45 70
norrkoping@dunlophiflex.se

STOCKHOLM
+46 (0)10-414 45 80
stockholm@dunlophiflex.se

UMEÅ
+46 (0)10-414 45 30
umea@dunlophiflex.se

VÄXJÖ
+46 (0)10-414 45 10
vaxjo@dunlophiflex.se

ÖREBRO
+46 (0)10-414 45 50
orebro@dunlophiflex.se

// NORWAY

HEADQUARTER
DUNLOP HIFLEX AS
Buråsen 7, Kristiansand
+47 23 00 47 50
sales@dunlophiflex.no

BERGEN
+47 23 00 47 70
bergen@dunlophiflex.no

HARSTAD
+47 23 00 48 10
harstad@dunlophiflex.no

KRISTIANSAND
+47 23 00 47 50
kristiansand@dunlophiflex.no

SARPSBORG
+47 23 00 48 30
sarpsborg@dunlophiflex.no

STAVANGER
+47 23 00 47 60
stavanger@dunlophiflex.no

TROMSØ
+47 23 00 48 20
tromso@dunlophiflex.no

TRONDHEIM
+47 23 00 48 00
trondheim@dunlophiflex.no

ÅLESUND
+47 23 00 47 80
alesund@dunlophiflex.no

// DENMARK

HEADQUARTER
DUNLOP HIFLEX A/S
Kokbjerg 1A, Kolding
+45 43 25 40 00
kundeservice@dunlophiflex.dk





HEAD OFFICE DUNLOP HIFLEX SCANDINAVIA

Dunlop Hiflex AB

Seldonsvägen 2

302 62 Halmstad, Sweden

Tel +46 (0)10-414 44 00

info@dunlophiflex.se

www.dunlophiflex.se